	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	149160 6	substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:14			0
2	BRS	L2	3556 0 4	mems or mem or MEM$2 or (micro$2 with elect$4 with mecahnic$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:09			0
3	BRS	L3	119166 6 6	mirror or reflect$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:15			0
4	BRS	L4	11 0 6 3	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:13			0
5	BRS	L5	17 8 6 1	3 with (mov$4 or rotat$5 or hing$3 or flex$5 or turn$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:14			0
6	BRS	L6	4 5	1 with 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:15			0
7	BRS	L7	4 2	5 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:15			0
8	BRS	L8	1 6	5 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:15			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L9	5 6	5 with 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:16			0
10	BRS	L10	4 2	9 and @pd>20020501	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:38			0
11	BRS	L11	2 4	10 and (second with output$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04 /28 09:40			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	4969 64	substrate	USPAT; US-PG PUB	2003/ 04/28 10:13			0
2	BRS	L2	2676 5	mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)	USPAT; US-PG PUB	2003/ 04/28 10:14			0
3	BRS	L3	6415 3?	mirror or reflect$4	USPAT; US-PG PUB	2003/ 04/28 10:15			0
4	BRS	L4	1171 32	3 with (mov$4 or rotat$4 or hing$3 or flex$4 or turn$4 or deflect$4 or pivot$4 or tilt$4 or oscillat$4)	USPAT; US-PG PUB	2003/ 04/28 10:17			0
5	BRS	L5	2634	DMD or (deform$5 with mirror with device)	USPAT; US-PG PUB	2003/ 04/28 10:18			0
6	BRS	L6	1284 33	4 or 5	USPAT; US-PG PUB	2003/ 04/28 10:18			0
7	BRS	L7	2796	2 with (second or plural$4 or array)	USPAT; US-PG PUB	2003/ 04/28 10:18			0
8	BRS	L8	1140	1 with 2	USPAT; US-PG PUB	2003/ 04/28 10:19			0
9	BRS	L9	361	6 and 8	USPAT; US-PG PUB	2003/ 04/28 10:19			0
10	BRS	L10	128	7 and 9	USPAT; US-PG PUB	2003/ 04/28 10:19			0
11	BRS	L11	2000 37	hinge$2	USPAT; US-PG PUB	2003/ 04/28 10:20			0
12	BRS	L12	1139 74	(optic$4 or cross or light) with switch$4	USPAT; US-PG PUB	2003/ 04/28 10:21			0

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
13	BRS	L13	141	11 and 9	USPAT; US-PGPUB	2003/04/28 10:01			0
14	BRS	L14	111	12 and 13	USPAT; US-PGPUB	2003/04/28 10:21			0
15	BRS	L15	73	14 and 10	USPAT; US-PGPUB	2003/04/28 10:22			0
16	BRS	L16	57	15 and @pd>20020501	USPAT; US-PGPUB	2003/04/28 11:03			0
17	BRS	L17	40	16 and output$3	USPAT; US-PGPUB	2003/04/28 11:11			0
13	BRS	L18	34	17 and (tilt$4 or rotat$4 with (mirror or reflect$4))	USPAT; US-PGPUB	2003/04/28 11:12			0

09765522 search

BRS	L1	USPAT; EPO; JPO; DERWENT; IBM_TDB	substrate	1414973
BRS	L2	USPAT; EPO; JPO; DERWENT; IBM_TDB	mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)	27388
BRS	L3	USPAT; EPO; JPO; DERWENT; IBM_TDB	mirror or reflect$4	1090931
BRS	L4	USPAT; EPO; JPO; DERWENT; IBM_TDB	3 with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5)	178527
BRS	L5	USPAT; EPO; JPO; DERWENT; IBM_TDB	1 and 2	6526
BRS	L6	USPAT; EPO; JPO; DERWENT; IBM_TDB	1 with 2	631
BRS	L7	USPAT; EPO; JPO; DERWENT; IBM_TDB	4 and 5	456
BRS	L8	USPAT; EPO; JPO; DERWENT; IBM_TDB	4 and 6	90
BRS	L9	USPAT; EPO; JPO; DERWENT; IBM_TDB	4 with 6	10

2nd search

BRS	L1	USPAT; EPO; JPO; DERWENT; IBM_TDB	5867297.pn.	3
BRS	L2	USPAT 5867297.URPN.		6
BRS	L3	USPAT; EPO; JPO; DERWENT; IBM_TDB	substrate	1414973
BRS	L4	USPAT; EPO; JPO; DERWENT; IBM_TDB	mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)	27388
BRS	L5	USPAT; EPO; JPO; DERWENT; IBM_TDB	mirror or reflect$4	1090931
BRS	L6	USPAT; EPO; JPO; DERWENT; IBM_TDB	5 with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or tilt$4 or oscillat$6)	221263
BRS	L7	USPAT; EPO; JPO; DERWENT; IBM_TDB	DMD or (deform$5 with mirror with device)	2759
BRS	L8	USPAT; EPO; JPO; DERWENT; IBM_TDB	6 or 7	222844
BRS	L9	USPAT; EPO; JPO; DERWENT; IBM_TDB	4 with (second or plural$5 or array)	2149
BRS	L10	USPAT; EPO; JPO; DERWENT; IBM_TDB	3 with 4	631
BRS	L11	USPAT; EPO; JPO; DERWENT; IBM_TDB	8 and 10	100
BRS	L12	USPAT; EPO; JPO; DERWENT; IBM_TDB	9 and 11	55
BRS	L13	USPAT; EPO; JPO; DERWENT; IBM_TDB	hinge$2	415083
BRS	L14	USPAT; EPO; JPO; DERWENT; IBM_TDB	(optic$4 or cross or light) with switch$4	193427
BRS	L15	USPAT; EPO; JPO; DERWENT; IBM_TDB	11 and 13	39

BRS	L16	14 and 15	USPAT; EPO; JPO; DERWENT; IBM_TDB	22
BRS	L17	12 and 16	USPAT; EPO; JPO; DERWENT; IBM_TDB	17
BRS	L18	6351201.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	1
BRS	L19	6389189.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	1

3rd search:

BRS L1 ((((mirror or reflect$4) with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or (DMD or (deform$5 with mirror with device)) and (substrate with (mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)))) and hinge$2 USPAT; EPO; JPO; DERWENT; IBM_TDB 39

BRS L2 ((optic$4 or cross or light) with switch$4) and ((((mirror or reflect$4) with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or tilt$4 or oscillat$6)) or (DMD or (deform$5 with mirror with device)) and (substrate with (mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)))) and hinge$2) USPAT; EPO; JPO; DERWENT; IBM_TDB 22

BRS L3 (((mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)) with (second or plural$5 or array)) and ((((mirror or reflect$4) with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or tilt$4 or oscillat$6)) or (DMD or (deform$5 with mirror with device)) and (substrate with (mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)))) and (((optic$4 or cross or light) with switch$4) and ((((mirror or reflect$4) with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or tilt$4 or oscillat$6)) or (DMD or (deform$5 with mirror with device)) and (substrate with (mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3)))) and hinge$2)) USPAT; EPO; JPO; DERWENT; IBM_TDB 17

BRS L4 1 or 2 or 3 USPAT; EPO; JPO; DERWENT; IBM_TDB 39
BRS L5 4 and impedance USPAT; EPO; JPO; DERWENT; IBM_TDB 2
BRS L6 4 and resist$6 USPAT; EPO; JPO; DERWENT; IBM_TDB 21

BRS L7 (((mirror or reflect$4) with (mov$6 or rotat$5 or hing$3 or flex$5 or turn$5 or deflect$4 or pivot$4 or tilt$4 or oscillat$6)) or (DMD or (deform$5 with mirror with device)) and (substrate with (mems or mem or MEM$2 or (micro$2 with electr$4 with mechanic$3))) USPAT; EPO; JPO; DERWENT; IBM_TDB 100

BRS L29 (optic$4 or cross or light) with switch$4 USPAT; EPO; JPO; DERWENT; IBM_TDB 193427

BRS	L30	USPAT; EPO; JPO; DERWENT; IBM_TDB	29 and (impedance with (measur$6 or test$4 or	2274
		determin$5 or record$5 or reference))	1465
BRS	L31	USPAT; EPO; JPO; DERWENT; IBM_TDB	30 and (switch$5 with (state or position$3))	
BRS	L32	USPAT; EPO; JPO; DERWENT; IBM_TDB	31 and magnet$4	488
BRS	L33	USPAT; EPO; JPO; DERWENT; IBM_TDB	32 and ('N' adj2 'M')	4
BRS	L34	USPAT; EPO; JPO; DERWENT; IBM_TDB	32 and latch$5	157
BRS	L35	USPAT; EPO; JPO; DERWENT; IBM_TDB	32 not 34	331

[09765522 search]